

CNC VERTICAL MACHINING CENTER

MITSUBISHI MODEL M-V60C CNC VERTICAL MACHINING CENTER: S/N V60C062 (1994); MITSUBISHI CNC CONTROL; 55" X 23-1/2" T-SLOT TABLE; 24 POSITION ATC; 50 TAPER; 3,300LB. TABLE CAP.; TRAVELS – X= 39.3", Y=19.6", Z= 7.9-29.5"; 14.7 HP SPINDLE; 10,000 RPM.

ASSORTED CNC TOOLING

CNC TURNING CENTER

IKEGAI MODEL TU-25 CNC TURNING CENTER: S/N 52271V (1992); FANUC SERIES O-T CONTROL; 10" 3-JAW CHUCK; 12-POSITION TURRET; HYDRAULIC TAILSTOCK; 2.5" SPINDLE BORE; 3150 RPM MAX SPINDLE SPEED.

MILLING MACHINE

JAFO MODEL FY32J VERTICAL KNEE TYPE MILLING MACHINE: S/N 2124; 51" X 12-1/2" T-SLOT TABLE; 50 TAPER; SINO 2-AXIS DIGITAL READOUT; 21 FEED RATES; 56-1800 RPM; 7.3 HP HEAD MOTOR; 2 HP FEED MOTOR; MAX. TABLE TRAVERSE – 33.5" LONG., 11" CROSS, 17" VERTICAL; HEAD TURNING ANGLE – 45 DEGREES.

BANDSAW

MODEL RF916B HORIZONTAL METALCUTTING BANDSAW: S/N 091109; 9" X 16" (APPROX.) CAP.; 1-1/2 HP; 20" X 72" ROLLER INFEED CONVEYOR; 115-375 FPM BLADE SPEED.

SPRAY BOOTH

MANNIX MODEL MAX FT 12 8 8-24 DRY FILTER TYPE SPRAY BOOTH: S/N 101712KA (2012); 12' X 8' X 96"H; 11' (APPROX.) INTERIOR WIDTH CAP.; LIGHTS; (DUCT TO BE REMOVED BELOW ROOF BY BUYER)

FORKLIFTS

CLARK 3,800LB. CAP. MODEL C500-40 LP FORKLIFT TRUCK: S/N 355-1037-5671FA-285; 188" MAX. LIFT HEIGHT (3575 LBS.); 65" FORKS; 3-STAGE MAST.

CLARK LP FORKLIFT TRUCK: 71" MIN. MAST HEIGHT; 38" (APPROX.) FORKS; 2-STAGE MAST; SOLID TIRES

DEFECT SAW

POWERMATIC MODEL COS18L LEFT-HAND UNDERCUT PNEUMATIC DEFECT SAW: S/N 0501COS18L154; 12" X 8' ROLLER OUTFEED CONVEYOR W/STOP; 12" X 4' ROLLER INFEED CONVEYOR; CONTROLS.

DUST COLLECTORS

(2) NORTHTECH 2HP MODEL NT-DC20-1 PORTABLE SINGLE UNIT DUST COLLECTORS: S/N 043207 & 043213.

NORTHTECH 2HP MODEL NT-001-1 PORTABLE SINGLE UNIT DUST COLLECTOR: S/N 022860.

DRILL

AVEY 12" SIZE NO. 3 TYPE BMA-6 SINGLE SPINDLE VERTICAL DRILL: S/N 33306; 34" X 25" TABLE; 70-1130 RPM; 3 HP.

MISCELLANEOUS

THERMAL DYNAMICS CUTMASTER 38 PLASMA CUTTER.

CAROLINA 30-TON CAP. MODEL CP100 ADJUSTABLE H-FRAME PRESS: S/N 11067.

GLOBAL HYDRAULIC PALLET JACK

JET 17" FLOOR TYPE DRILL PRESS: 1 HP

ADJUSTABLE DIE TABLES

JET COMBINATION 6" VERTICAL BELT SANDER & 9" DISC SANDER

BENCHTOP DRILL PRESS: S/N 729408 (1994); 12-SPEED; MODEL MDP11018L.

JUSTRITE 60 GALLON CAP. NO. 25600 SAFETY STORAGE CABINET

EATON 7-1/2HP MODEL EC50T AIR COMPRESSOR; MOUNTED ON INGERSOLL-RAND VERTICAL AIR RECEIVING TANK.

ROBOT 6" X 18" HAND FEED SURFACE GRINDER

ASSORTED MACHINE ACCESSORIES & TOOLING

