

# Auction Catalog

Manufacturing Plant Relocation Auction

## Auction Date:

Monday, May 18 2020

Bidding Starts: 12:00 AM CDT

Fram Fram LLC  
9151 international parkway  
New Hope, MN 55428

Phone: (612) 564-3726  
Email: [info@framfram.com](mailto:info@framfram.com)  
com

Lot Number	Lot Description	Notes
1	2012 Gorbet Free Standing Work Station Jib Crane, Serial Number 338931. 500lb rated capacity, 360 Deg Swivel, 9 foot Under Boom, 14 foot Jib Length, Free standing, Floor Flush design (bolted to floor), Top Entry Electrical Connector, Includes 1/4 ton Harrington Electric Hoist, size B, code no. NER003SD, serial no. 00101994, 1/4 Ton Rated Capacity, 6-36 fpm lift speed, pendant control, 208-230v, 3-phase (Rigging information coming soon)	
2	Clausing Colchester Model 17 Engine Lathe, Serial Number 7/0218/13128 SWING OVER BED: 17-1/4 inch SWING OVER CROSS SLIDE: 10-1/2 inch DISTANCE BETWEEN CENTERS: 60 inch HOLE THRU SPINDLE: 3-1/16 inch SPINDLE NOSE, CAMLOCK SIZE: D1-8 inch SPINDLE SPEEDS: (16):20 - 1600 RPM HEADSTOCK & TAILSTOCK SPINDLE TAPER: #5 MORSE TAILSTOCK SPINDLE TRAVEL: 7 inch TAILSTOCK SPINDLE DIAMETER: 2-15/16 inch WIDTH OF BED: 13-1/2 inch FEEDS: LONGITUDINAL (45): .002 - .032 IPR CROSS (45): .001 - .016 IPR THREADS: INCH (45): 2 - 72 TPI METRIC (39): .4 - 14 mm DIMENSIONS: 118 x 42 x 52 inches APPROX WEIGHT: 5,600 LBS Includes: Jacobs Keyed Chuck on 5MT Shank, 12" 3-Jaw Chuck, MH130 Quick Change Tool Post & 5 Holders. Overall dimensions 120 x 43 x 55 inches, approximate 8,000 lbs (Rigging information coming soon)	
3	2007 JLG Model 1930 ES Electric Scissor Lift, Serial Number 0200166391. 189 total indicated hours. 18.8 foot Max Platform Lift, 25 foot Working height, 500 Lb Unrestricted Capacity, 250lb capacity on extension, 2820 Machine Weight. Interstate Deep Cycle Batteries. 2.5 x 6.1 foot platform, 3 foot extension, Joystick controlled, built in 120V battery charger.	
3A	Click here to print your buyers guide.	
3B	All the office furniture is being sold in a separate auction. Click here to view that auction. Same preview times and checkout times.	
4	If you are feeling sick or have any known exposure to anyone with COVID-19 it is imperative that you NOT come to the auction site.	
5	Previews: Please use common sense. If you are not feeling well do not show up. If you just want to come look at the stuff and are not a serious buyer please sit this one out. Live previews will be held on Saturday, June 6 from 9-2 Monday, June 8 from 12-6 by appointment if necessary, please email info@framfram.com for details. No one under the age of 18 is allowed onsite. If you are an older adult or a person of any age who has serious underlying medical conditions that may be at higher risk for more serious complications from COVID-19 do not attend this preview.	
6	Onsite payments with cash or business check are preferred, you can pay online or onsite with a credit card. ALL ITEMS MUST BE PAID IN FULL BY SATURDAY JUNE 13.	
7	DO NOT SHOW UP FOR CHECKOUT WITHOUT AN APPOINTMENT. YOU WILL HAVE TO WAIT UNTIL THERE IS AN OPEN SLOT. Checkout by appointment will be on Thursday, June 11 from 8-5 Friday, June 12 8-5 Saturday, June 13 8-3 No one under 18 allowed onsite. If you are an older adult or a person of any age who has serious underlying medical conditions that may be at higher risk for more serious complications from COVID-19 please do not show up for checkout. Everything must be removed during our checkout period. If you cannot comply, do not bid. No refunds will be given if you do not comply with these terms. Shipping will be available where applicable, we can also band items to a pallet and load on local delivery truck for a nominal charge. We can also ship UPS. The number of buyers onsite will be limited. This is why you must have an appointment for checkout. Groups of up to 5 people per buyer are allowed, if you plan on bringing more help please let us know before you show up. Only people helping in removal will be allowed onsite. Curbside checkout is available. Please email us at info@framfram.com at the time you make your appointment if you want your items left outside the building for self loading. If you are feeling sick or have any known exposure to anyone with COVID19 do not participate in this auction.	
8	Curbside checkout is available when requested and possible You will be allowed in the building to hand carry your items for removal You can only operate powered equipment in the building if we have your insurance on file. Email ryan@framfram.com for details We can ship small items Fed-Ex at your cost We can band larger items to a pallet for local or LTL delivery We will have a forklift onsite to load heavy items for a monomial charge (plan on \$10-20 a pallet to cover the cost of the driver.) If you show up and complain about the cost to load your items, the cost will double.	
9	(6) Sections of 42" x 144" Pallet Racking Pallet Racking tear drop type to include: (7) 42 x 144 inch uprights, (48) 96 x 4 inch cross beams, (48) 42 inch decking	

10	Bridgeport 1J Vertical Milling Machine Make: Bridgeport Model: 1J Type: Vertical Milling Machine Serial Number: 12BR 63101 9 in x 42 in T-Slotted Table, 24 in Longitudinal Table Travel, 12 in Cross Table Travel, 13 in Vertical Knee Adjustment, 3-phase Overall dimensions 61 x 57 x 77 inches Approximate 1,200 lbs 5 in Quill Travel, 80-2720 Belted Spindle Speeds, R8 Spindle Taper, Power Feed One-Shot Lube, 1 HP 208/220/440 Volt 3-Phase Motor and Controls	
11	(1) Section of 42" x 144" Pallet Racking Pallet Racking tear drop type to include: (2) 42 x 144 inch uprights, (8) 96 x 4 inch cross beams, (8) 42 inch decking	
12	Haas Model HRT210SHS Rotary Indexer, Serial Number 250020. 210mm (8.3 inch) Platter Size. (Similar to a HRT210 the SHS stands for Super High Speed, this compact system yields high stiffness, high torque, and high speed values.) Includes interface cables, 6 inch A-Frame Support and 22 inch custom fixture. Mounted to a 14 x 33 inch Heavy Duty Steel Plate	
13	(9) shelving unit setup with total 54 shelves, each section 36 x 11-1/2 x 87 inches	
14	2013 Magnaflux Model S-1212 Demagnetizer, Serial Number 213163. Continuous Duty, 12 x 12 inch Window, Magnetizing Current Capacity: 7,500 A-Turns, Footprint: 24L x 11.8W x 24H inch, 285 lbs, 230/460 Volt, 31/15 Amp, 60 hz Single Phase Electrics. (used on one job) Note: Transformer used tin conjunction with this unit available and sold separately.	
15	New in 2017 Never Used!! Edwards 55 Ton Ironworker Wired 220 Volt 3 Phase RATED TONNAGE New Model 55T MAX. CAPACITY 1-1/6 inch dia. in 5/8 inch A36 (65,000 PSI Tensile) STROKE 1-1/4 inch THROAT DEPTH 7-1/2 inch OPEN HEIGHT 8-1/8 inch SHUT HEIGHT 6-7/8 WORK HEIGHT 36-9/16 FLAT BAR SHEAR: MAX. CAPACITY 3/8 x 14 inch 1/2 x 12 inch 3/4 x 4 inch MAX. ROUND CAPACITY 7/8 inch MAX. SQUARE CAPACITY 7/8 inch WORK HEIGHT 34-3/4 inch ANGLE SHEAR: MAX. SIZE 3 x 3 x 3/8 inch 4 x 4 x 1/4 inch WORK HEIGHT 39-7/8 inch OPEN STATION THROAT DEPTH 11-3/16 inch OPEN HEIGHT 8-1/8 inch SHUT HEIGHT 6-7/8 inch WORK HEIGHT 34-1/2 inch GENERAL SPECIFICATIONS: STANDARD MOTOR 5 HP 3 Phase 208/240v 1725 RPM 14 AMP HYDRAULIC PUMP 3-1/2 GPM – 1 STAGE VALVE PRESSURE 2500 PSI RESERVOIR 7 GALLONS CYLINDER 2-1/2 inch Ram DIMENSIONS: DEPTH 36-1/8 inch WIDTH 44-3/8 inch HEIGHT 55-1/4 inch SHIPPING WT. 2480 lb	
16	1998 Airflow Systems Model 2400VOM Mist Collector, Serial Number: 244948. Full Model: 2400VOM-BI-CV-PG7-S, Part Number: 2400-2ACV-95XX-07BI. 2400 CFM, 3-HP 230/3PH Motor, on Stand. Overall dimensions 48 x 26 x 99 inches	
17	(2) sections Uline 6- locker set inside dimensions 12 x 16 x 35 inches, hooks, padlock-able type handle, overall dimensions 36 x 18 x 72 inches	
18	Justrite Sure-Grip EX Flammable liquid storage cabinet, model 893020, 30 gallon, adjustable shelf, self closing doors, 43 x 18 x 44-1/4 inches	
19	Make: Clausing Model: 1642 Serial No: 112158 Spindle Speeds: (5) 400 to 5400 rpm Spindle Taper: No. 2 Spindle Stroke: 4 inch Tilting Table Size: 10 x 14 inches Power: 3/4 Hp, 110v single phase Equipped with: Tilting Work Table, Jacobs, 1/2 inch Drill Chuck, Updated ON/OFF EStop Control	
20	Make: Autoquip Model: 36S40 Capacity: 4,000 Lbs Table Size: 36 x 54 inches Max Lift: 42 inch Lowered Height: 7 inch Voltage: 115V Single Phase Serial Number: 89555506	
21	Uline Rolling step ladder, no. 714, 130 inches to top step, 7 x 24 inch steps, foot locking mechanism, total overall dimensions 45 x 96 x 173	
22	(5) Assorted metal parts bins, assorted end mills and drill bits, smaller units are 14-3/4 x 7-1/4 x 7-3/4 inch, larger unit 34 x 12-1/4 x 11 inches	
23	KBC Model SGS-618V Surface Grinder, Serial Number 900251-2. 6 x 18 inches, magnetic chuck, 8 inch max wheel size, 120V Adapter, One Shot Lube, 1HP 220/440 3-PH Spindle motor, overall dimensions 38 x 41 x 69 inches, Approximate 500 lbs	
24	Safety-Kleen spry gun cleaner, model SK81280, 20 inch diameter by 10 inch deep, pneumatic operation, overall dimensions 34 x 16 x 40 inches	
25	2011 Nilfisk Advance Model Warrior X32D-C Walk Behind Floor Scrubber, Serial Number N4000011718, 32 inch Path, 120V Built in Charger, New Interstate Batteries Installed 7/2019. 4181 Indicated Hours at time of description. NOTE: This unit will not be available for pickup until the following week after checkout. It will be used to clean the floors after all the items are removed. Seller takes full responsibility for any repairs should it get damaged between the time it's sold and available for pickup.	
26	Wilton 6 inch bench vise, model C006	
27	(3) Fan air circulators on pedestals, 30 inch diameter, (2) 2-speeds and (1) single speed, 120 volt	

28	(1) Section of 42" x 144" Pallet Racking Pallet Racking tear drop type to include: (2) 42 x 144 inch uprights, (5) 99 x 4 inch crossbeams, (1) 99 x 5 inch cross beam, (6) 42 inch decking	
29	Butcher block top workbench 72 x 30 x 34 inches	
30	Wilton 5 inch bench vise, model 745	
31	Dumping Hopper with forklift slots, 23 x 24 x 44 inside hopper, overall dimensions 25-1/2 x 45 x 34 inches	
32	2013 Nissan Model MCP1F1A18LV Fork Lift Truck, Serial Number CP1F1-9N3155. 3,000 LB Rated Capacity, 187 inch Lift, 3-Stage Mast, Side Shift Cushion Tires, LP Powered, 42 inch forks, ROPS, 3,285 Indicated Hours at time of description. LP Tank can be used for loading but is not included. NOTE: This forklift will not be available until approximately a week after the auction checkout. Seller assumes full responsibility for any repairs required due to damage after it is sold but before it is available for pickup.	
33	2012 Kaeser SK20 Screw Type Air Compressor, Serial Number 1189. Part No. 101978.0, 125 PSIG, 88 CFM, 20 HP 208/230/460 3-Ph, 30 x 36 x 50 inches, 705 lbs. 57,040 Indicated Hours	
34	EGA products rolling step ladder, 129 inch height at top step, 7 x 23-1/2 inch steps, locking mechanism, total overall dimensions 33 x 98 x 167 inches, split apart segmented at 57 inch from floor.	
35	Harrington 1/4 ton hoist, code no. HER 003SD, serial no. 00132813, 6-36 ft/min, pendant control, 208-230v, 3-phase, includes standing track unit, 113 x 32 inch upright stands bolted to floor and wall (bring tools to remove), 30 foot welded beam	
36	Summit Industrial Products Oil/Water separator ConDePhase-15	
37	(1) section Uline 6- locker set inside dimensions 12 x 16 x 35 inches, hooks, padlock-able type handle, overall dimensions 36 x 18 x 72 inches	
38	Roller conveyor unit, 15-1/2 inch rollers, adjustable height and angle, 19 x 120 inch top frame	
39	(6) Section of 42" x 144" Pallet Racking Pallet Racking tear drop type to include: (7) 42 x 144 inch uprights, (48) 96 x 4 inch cross beams, (38) 42 inch decking	
40	(1) Steel Sheet, 5/8 x 60 x 120 inches	
41	Craftsman 5-drawer tool box, ball bearing, lid, key, 26 x 16 x 20 inches	
42	Great Lakes 19U NEMA 12 Wall Mount Computer Cabinet (GL360N12) New Retail \$1951.00 Dimension: 36H x 24W x 24D inches Rack Units: 19U Weight Capacity: 250 lbs. Features: *MADE FOR HARSH INDOOR ENVIRONMENTS Independently tested and certified to meet the National Electrical Manufacturers Association's Type 12 Standard Intended for indoor use to provide a degree of protection against dust, falling dirt, water, and non-corrosive liquids 19 inch EIA 310-D Compliant No. 12-24 threaded mounting rails, 12 ga. Reversible mounting for left-hand or right-hand opening Keyed locks with dust covers Bulb gasket creates a positive environmental seal for indoor use to protect against ingress of solid foreign objects Front and rear sections lock independently Provisions for cable access for 1, 2, 3 inch conduit sizes 14 ga. main body in rear section 16 ga. Door Standards: UL508A, NEMA 250 Type 12, RoHS II	
43	Wood top workbench, 60 x 30 inches	
44	Custom built Clamping Assembly System, pneumatic operation, Steel Work Benches to include (2) 30 x 30 inches with pneumatic height lifters, (1) 32 x 36 inches with pneumatic height lifters, (1) steel bench 23-1/2 x 29-1/2 x 1/4 x 32-1/2 height	
45	Polypac Systems Center hydraulic pump unit, ID no. 9211844, 20 gallon capacity, Baldor motor, 3hp, 208-230/460v, 3-phase	
46	Retractable pneumatic hose reel A nonnegotiable \$30 fee will be added to your invoice for removal. This item will be on the ground at the time you come to pick it up.	
47	(2) Enerpac hydraulic foot activated pumps, model no. PA133	
48	Retractable pneumatic hose reel A nonnegotiable \$30 fee will be added to your invoice for removal. This item will be on the ground at the time you come to pick it up.	
49	Parker filtration electric pump unit for hydraulic fluid, model 10-MF-40SA-100-1, serial 17-ZL, 50 PSI, on cart, 110v	

50	(3) Sections of 48" x 192" Pallet Racking Pallet Racking tear drop type to include: (4) 48 x 192 inch uprights, (18) 99 x 4 inch cross beams, (16) 48 inch decking	
51	(3) Fan air circulators on pedestals, 30 inch diameter, 2-speeds, 120 volt	
52	Steel workbench 30 x 72 x 3/16 inch surface drilled and cut, adjustable height legs, 12 x 72 inch angled upper shelf	
53	Propane Torch	
54	Ryobi Premium electric pressure washer, 1700 psi, 1.2 gpm, 120v, on wheels	
55	Enerpac hydraulic foot activated pump	
56	Cleco Balance arm, model PBA-18-AH, 32 inch extended, 41 inch post	
57	2018 Zeks HeatSink Model 300HSGA400 Cycling Refrigerated Air Dryer, Serial Number WCH1027569. Capacity at 38 Deg F: 300 SCFM, R404A Refrigerant, Air Connect in/out 2 inch MPT, Drain connect 1/4 inch, Air Cooled, MAWP Max 300 PSIG, 2-HP 460 3-PH Motor, includes (2) Nano indicating Air Filters, 28 x 30 x 58 inches, 735lbs	
58	Ridgid 300 Pipe Threader with Ridgid 1206 Tristand, (2) Universal Die Heads, The threader includes the cutoff and deburring arms. Also included are (2) manual threading tools and a massive Ridgid No.4 Cutoff tool. Tested and working. It just needs a foot pedal and oiler if you choose to use them.	
59	(1) Section of 42" x 144" Pallet Racking Pallet Racking tear drop type to include: (2) 42 x 144 inch uprights, (4) 96 x 4 inch cross beams, (4) 42 inch decking	
60	Makita 14 inch cut-off saw, model 2414NB, 3800 RPM, swivel clamp, 120v	
61	(3) Pneumatic cylinder with control units, 4-1/2 x 25 inch cylinders, pressure regulators, electrical controllers, track guides	
62	Wood top workbench, 72 x 30 inches, adjustable height legs	
63	Quality 4-3/4 inch bench vise	
64	Pallet of assorted hydraulic hoses up to 3/4 inch 3000PSI, and other assorted hoses	
65	Pandjiris Welding Positioner Model 7.5 MV Positioner, S/N 25-173 750 Pound Capacity 42 inch Round Table Manual Tilt, Very Easy to Operate Remote Foot Switch: For/Rev Wired 480 Volt 3 Phase Can be Wired 220 Volt	
66	(1) section Uline 6- locker set inside dimensions 12 x 16 x 35 inches, hooks, padlock-able type handle, overall dimensions 36 x 18 x 72 inches	
67	Blue M electric oven, Model OV-18A, serial OV1-12103, 19 x 18 x 15 inch chamber, adjustable shelf, 50 to 275 degree C, 1900 watts, 120v single phase, overall dimensions, 24 x 27 x 30 inches	
68	Partial bay of 4 inch spiral and solid metal tubing and larger (not attached to mist collectors) (Bring help for removal, take what you need)	
69	(4) Sections of 42" x 144" Pallet Racking Pallet Racking tear drop type to include: (5) 42 x 144 inch uprights, (32) 96 x 4 inch cross beams, (32) 42 inch decking	
70	(4) Fan air circulators on pedestals, 30 inch diameter, (3) 2-speeds, and (1) single speed, 120 volt	
71	Steel workbench with upper and lower shelves, 60 x 30 inches, adjustable height legs	
72	Assorted shipping supplies to include: The Tape dispenser, electric wet tape dispenser model TDH205, wet tape, clear packing tape and guns, electronic shipping scale, shrink wrap and holder and more as shown	
73	Werner 6 foot fiberglass folding step ladder, model 6006, 250 lb capacity	
74	GE Transformer, Cat no. 9T8383872, 30.2 kva, type QL, 60hz, 3-phase, Primary 480v, Secondary 208/120v, includes disconnect switch (If your looking at the Magnaflux this is the transformer)	

75	(2) sections Uline 6- locker set inside dimensions 12 x 16 x 35 inches, hooks, padlockable type handle, overall dimensions 36 x 18 x 72 inches	
76	Clark EWP45 24 volt pallet jack, 7-1/4 x 47 inch forks, 12 inches between forks, interstate batteries, built in charger, 328 hours on meter.	
77	(4) Sections of 42" x 144" Pallet Racking Pallet Racking tear drop type to include: (5) 42 x 144 inch uprights, (32) 96 x 4 inch cross beams, (32) 42 inch decking	
78	148 inch clamping spanner bar	
79	Wood top workbench, 60 x 30 inches, adjustable height legs	
80	Square 3-phase step transformer	
81	RDS Aluminum 42 gallon fluid tank with pump, 20 x 32 x 16 inches, on casters	
82	2004 ADF Model 940 Parts Washer, Serial Number 409-4728. Order #4172, 42" inch diameter turntable, 18 inch working height, (2) 15 KW heaters, 175 gallon tank, 200 deg F Max Temp, 500 Lb Max Capacity, 3-RPM, Vertical Doors, pass through design, 7-1/2 HP Motor, 460/3/60 Electrics, Includes: In feed and out feed conveyors, (2) 42 inch baskets and (2) 32 inch Baskets, New and used replacement nozzles, main unit overall dimensions 94 x 66 x 92 inches (Rigging information coming soon)	
83	Flow Pro 24 inch air circulator on wheels, 120v	
84	DoAll Model L-H-V Vertical Metal Cutting Bandsaw, Serial Number 27-50257. 15 inch Throat, Variable Blade Speed, 20 x 20 inch Tilting Table, Blade Welder, Do-All Job Selector, Work light, 120V Outlet, 220V 3-Ph Motor, overall dimensions 38 x 34 x 74inches, approximate 500 lbs	
85	Solid Wood cart on 8 inch casters, 23-1/2 x 47-1/2 surface	
86	(6) Sections of 42" x 144" Pallet Racking Pallet Racking tear drop type to include: (7) 42 x 144 inch uprights, (34) 96 x 4 inch cross beams, (34) 42 inch decking	
87	(2) Fan air circulators on pedestals, 30 inch diameter, 2-speeds, 120 volt	
88	(3) assorted scales (see photos one appears non-functional)	
89	Steel workbench 72 x 30 x 34 inches	
90	(3) Assorted cabinets as shown (no keys), file cabinets have casters	
91	6 inch machine vise	
92	(5) Sections of 42" x 144" Pallet Racking Pallet Racking tear drop type to include: (6) 42 x 144 inch uprights, (16) 96 x 4 inch cross beams, (22) 42 inch decking	
93	2011 Amet Model XM Precision Bench Top CNC Welding Lathe, Serial Number 56801. Part Length: The maximum part length is 18 in (457 mm). Part Diameter: The maximum part diameter (OD) that can fit within the workspace is 16 in (406 mm). Part Clamping: The headstock is equipped with a manual chuck with a 6 in (152 mm) outer diameter clamping capacity. Part Weight: Maximum weight capacity of 250 lb (113 kg) when headstock and tailstock are both being used Headstock Rotation: Driven by a servo motor with encoder feedback, backlash is a maximum of 5 arc minutes. Headstock Speed: Capable of 0 to 20 RPM. Torch Lift: Precision motorized slide with 6 in (152 mm) of vertical adjustment. Torch Tilt: Manual torch tilting of +/- 45 degrees to provide fillet welding capability. Centerline Adjustment: Pneumatic slide with up to 6 in (152 mm) of In/Out (Y-Axis) motion for positioning the torch over the centerline of the part. Tailstock Motion: Manually adjustable along the length of the rails (X-Axis) with a hand brake to lock the tailstock into position. Tailstock Extension: Pneumatically controlled and adjustable up to 190 lb (845 N) at 100 psi (6.89 bar) Welder sold separately. overall dimensions 67 x 32 x 70 inches	
94	Enerpac hydraulic hand pump	
95	(4) Justrite 6-gallon oily waste can with self closing lids	

96	(2) Forklift extensions, 60 x 5 x 2 inches	
97	(2) shelving units to include: (1) 72 x 24 x 96 with 5-shelves, removable metal shelf covers, (1) 96 x 24 x 120 with 4-shelves, press board tops	
98	(2) Sections of 42" x 144" Pallet Racking Pallet Racking tear drop type to include: (3) 42 x 144 inch uprights, (18) 96 x 4 inch cross beams, (18) 42 inch decking	
99	(3) assorted types shelving units approximate.36 x 18 x 86 inches each	
100	Wood top workbench 72 x 30 inches, adjustable legs	
101	Die Filer	
102	(8) shelving unit setup with total 43 shelves, each section 36 x 11-1/2 x 87 inches and 5-shelf rack 36 x 24 x 63 inches	
103	Baileigh industrial air filtration unit, model MDC-1800, serial D18040316, 8 inch opening, 3hp, 220v, 1-phase, overall dimensions 31 x 28 x 40 inches, on casters	
104	Arbor press, 3/4 inch arbor, 3 inch throat	
105	(5) shelving unit setup with total 33 shelves, each section 36 x 11-1/2 x 87 inches	
106	(6) shelving unit setup with total 36 shelves, each section 36 x 11-1/2 x 87 inches	
107	Dualdraw LLC Air filtration unit, model 5AF2000D, 2 hp, 460v 3-phase, overall dimensions, 30 x 40 x 84 inches	
108	(1) Sections of 42" x 144" Pallet Racking Pallet Racking tear drop type to include: (2) 42 x 144 inch uprights, (4) 96 x 4 inch cross beams, (4) 42 inch decking	
109	Wall-Mounted Arm Boom, 250 in Span	
110	(3) shelving unit setup with total 18 shelves, each section 36 x 11-1/2 x 87 inches	
111	(4) Fan air circulators on pedestals, 30 inch diameter, (1) single speed and (3) 2-speeds, 120 volt	
112	Uline pallet jack, model H-1043, 5,500 lb capacity, 48 inch forks, 14 inch between forks	
113	Steel workbench with upper channel structure shelves, 72 x 36 inches, adjustable height legs, light and paper towel dispenser	
114	Assorted shelving units to include (2) 48 x 30 x 87 inches, (1) 36 x 18 x 51 inches	
115	Arbor press, 3/4 inch arbor, 3 inch throat	
116	(5) shelving unit setup with total 33 shelves, each section 36 x 11-1/2 x 87 inches	
117	Haas Model HRT210SHS Rotary Indexer, Serial Number 250019. 210mm (8.3 inch) Platter Size. (Similar to a HRT210 the SHS stands for Super High Speed, this compact system yields high stiffness, high torque, and high speed values.) Includes interface cables.	
118	(5) shelving unit setup with total 35 shelves, each section 36 x 11-1/2 x 87 inches	
119	(4) Sections of 42" x 144" Pallet Racking Pallet Racking tear drop type to include: (5) 42 x 144 inch uprights, (28) 96 x 4 inch cross beams, (28) 42 inch decking, Includes Wirecrafters Rack Back frame safety pieces to include (3) 48 x 96 inch panels, (3) 48 x 48 inch panels and assorted mounting hardware	
120	Shelving unit setup with 12 total shelves, 18 x 36 inch shelves, 85 inch height	
121	Wood top workbench, 72 x 36 inches, adjustable legs	

122	6 inch precision machine vise and assorted hold down tooling as shown	
123	Shelving unit setup with 24 total shelves, 18 x 36 inch shelves, 85 inch height	
124	Delta 12 inch drill press, belted spindle speeds 620 to 3100, 1/2 inch chuck, 9 x 9 inch tilting table	
125	Arbor press, 3/4 inch arbor, 3 inch throat	
126	(3) Assorted Steel Benches with 4 inch square adjustable tube legs to include: (1) surface 18 x 64 x 1/4 inches, (1) surface 18 x 46 x 1/4 inches, (1) 24 x 36 stainless steel surface but missing feet tubes	
127	Office furniture to include: Steel Desk 30 x 60 x 34 with 4-drawers and (1) cabinet with shelf and (1) 2-drawer lateral file cabinet	
128	Movincool Model: Classic Plus 26 Portable Air Conditioning Unit 208/230V, 1 PH, 60Hz, 9.8/9.0 A Cooling Capacity: 24000/24000 BTU/h Compr. Output: 1047 kW Refrigerant/Total Charge: R-410A / 2.31 lbs. Design Pressure LO/HI: 391/601 PSIG Part No./Weight: GX484000-3930 / 199 LBS S/N: 02120206260	
129	5-Stage Degreasing Line. Used in clean room to degrease and rinse parts where cleanliness was critical. Over all dimensions are approximately 128 x 48 inches. Tanks are 18 x 18 x 21 inches (4) 14-1/2 x 14-1/2 x 17 inch Stainless Baskets are included, Everything is attached to a metal frame at base. Station #1: SeaClean 125 with circulating pump & fixtures for rectifier (sold separately) Station #2: Garden Hose Water Rinse Station #3: Water Station #4: Rustlick B with Process Technologies NR25 Tank Heater Station #5: Dry off / Drip Tank.	
130	(2) Sections of 42" x 144" Pallet Racking Pallet Racking tear drop type to include: (3) 42 x 144 inch uprights, (12) 96 x 4 inch cross beams, (12) 42 inch decking (contents not included)	
131	Shelving supplies (12) assorted uprights and (25) assorted shelves as shown	
132	(2) Fan air circulators on pedestals, 30 inch diameter, 120 volt	
133	Steel workbench 72 x 30 x 35 inches	
134	Rubber floor mats (1) 34 x 57 inch, (1) 45 x 64 inches and a safety cone	
135	(6) Uline Heavy Duty Nestable Pallets 40 x 48 inches with (5) 4 inch casters attached on each to make carts	
136	Arbor press, 3/4 inch arbor, 3 inch throat	
137	Metal shelf with (6) 18 x 26 inch shelves, 87 inch height	
138	4-Post Hydraulic Press Approximate 19 inch Stroke 27 x 27 inches FB Envelope between posts 27 x 27 inches Side to side between posts 20 inches under ram 4 inch cylinder ram with screw end to change platens 4-7/8 inch thick steel upper and lower platens 10-hp integrated hydraulic unit 230/460 3-PH overall dimensions 53 x 45 x 94 inches approximate 3,000 lbs (Rigging information coming soon)	
139	(2) Rubbermaid shop carts 24 x 36 inches on 5 inch casters	
140	(12) Sections of 42" x 144" Pallet Racking Pallet Racking tear drop type to include: (13) 42 x 144 inch uprights, (62) 96 x 4 inch cross beams, (62) 42 inch decking (contents not included)	
141	Shelving supplies (30) assorted uprights, (68) assorted shelves and assorted shelf clips as shown	
142	Steel workbench with lower shelf 42 x 24-1/2 inches, adjustable legs 3" square tube	
143	Assorted pallet racking accessories to include, floor mounting feet and assorted Vestil corner safety posts	
144	Rolling Steel work table, 47 x 119 x 1/4 inch surface with ends cut and drilled, 6 inch casters 2-swivel, 38 inch work height	

145	2013 QA1 Electric Curing Oven, Serial Number: ADM03. 24D x 32T x 168L inch chamber, _____ Temp range. Tempco Part Number PCS20076 Oven Controls, 83,000 Watts, 100 Amp, Powered Door, 9 spindle part rotation apparatus built in (to rotate parts during heating) 460/60/3 Electrics. _____ Blower Unit (Rigging information coming soon)	
146	Steel rolling cart, 46 x 46 x 1/4 x 18 inches, 6 inch casters	
147	Cart with vibration dampers, 28 x 28 x 28 inches, 3 inch casters	
148	24" Stainless Steel Cylinder A6510, 5" Dia.	
149	Make: Southworth Model P LS3-36W Serial number: 55779-02/IO55779-200-01 Rated Lifting Capacity: 3500 Lbs Max height: 46 inch Table: 36 x 48 inches Factory installed 45 inch Turntable (1/2 inch thick steel) Portable with handle included. This unit is stationary unless the handle is used to lift the table. Includes Bellow/Accordion Skirting. 3-Phase Electrics (LIFT CURRENTLY NEEDS REPAIR)	
150	(6) Sections of 42" x 144" Pallet Racking Pallet Racking tear drop type to include: (7) 42 x 144 inch uprights, (50) 96 x 4 inch cross beams, (19) 42 inch decking	
151	Steel stock rack with hydraulic filter assembly, 35 x 36 x 35 inches	
152	(2) Fan air circulators on pedestals, 30 inch diameter, 120 volt	
153	Steel shelf assembly, 37 x 49 x 31 inches	
154	Steel workbench with lower shelf 72 x 30 inches, adjustable legs 3" square tube	
155	2 inch square tubing frame 23-1/2 x 31 x 18 inches	
156	6 inch precision machine vise with handle and swivel base	
157	Steel rolling cart, 46 x 46 x 1/4 x 24 inches, 6 inch casters	
158	Rapid DC Power Supply, Serial Number 996165. 300 Amp DC Output, AC in: 200V, 8A, 60H, 3-PH, DC Out: 6V, 300A, 18KW Continuous Duty Rapid Controls	
159	Hoffman Steel Electrical cabinet, Cat no. CSD483612, Rohs, approximate 48 x 36 x 13 inches	
160	Steel rolling cart, 46 x 46 x 1/4 x 18 inches, 6 inch casters	
161	(2) Sections of 42" x 144" Pallet Racking Pallet Racking tear drop type to include: (3) 42 x 144 inch uprights, (9) 96 x 4 inch cross beams, (8) 42 inch decking (Contents not included)	
162	P.W. Platforms rolling step ladder, 77 inch at top step, 7 x 18 inch steps, solid rubber tires, overall dimensions 32 x 65 x 108 inches	
163	IAC industries workbench, 30 x 60 inch surface, (2) lower shelves, (2) upper shelves, 120v power strip, overall dimensions 32 x 60 x 76 inches	
164	Steel workbench 72 x 36 x 33 inches	
165	Steel workbench with granite surface 24 x 60 inches, 3-drawers, 33-3/8 inch work height	
166	Uline 3-shelf racking, 24 x 96 inch shelves, 72 inch height	
167	Clark Model GCS15 Fork Lift Truck, Serial Number G127.0065.8205K0F. 2475 LB Rated Capacity, 188 inch Lift, 3-Stage Mast, Side Shift, Cushion Tires, LP Powered, 42 inch forks, ROPS, 8,988 Indicated Hours at time of description. LP Tank can be used for loading but is not included.	
168	Keller 87 series 10 foot fiberglass folding step ladder, 200 lb capacity	
169	(6) Cantilever rack arms 27-1/2 and 35-1/2 inches, for 3-1/2 inch frame	

170	1994 Airflow Systems Model 2400VOM Mist Collector, Serial Number: 244219. Full Model: 2400-2ACV-95XX-07BI, Part Number: 2400-2ACV-95XX-07BI. 2400 CFM, 3-HP 230/3PH Motor, on Stand, Overall dimensions 48 x 26 x 99 inches	
171	(2) shelving units with 4-shelves 18 x 36 inches, 75 inch height	
172	(6) Sections of 42" x 144" Pallet Racking Pallet Racking tear drop type to include: (7) 42 x 144 inch uprights, (48) 96 x 4 inch cross beams, (18) 42 inch decking	
173	(3) Fan air circulators on pedestals, 30 inch diameter, 2-speeds, 120 volt	
174	Uline 3-shelf racking, 24 x 96 inch shelves, 72 inch height	
175	Steel workbench with upper and lower shelves, 72 x 28 inches	
176	wood top work bench assembly with (7) 29 inch width adjustable height legs and (2) cabinets	
177	(2) shelving unit setup with total 10 shelves, each section 36 x 18 x 85 inches	
178	Assorted metal bracing as shown	
179	2000 Sullair Model LS10 Screw Type Air Compressor, Serial Number 003-122378. Full Model: LS10A-30H/A/SUL, 30HP, 115/125 Max PSIG, Air Cooled, approx 100 gallon horizontal receiver tank. 230/460 3-PH. _____ Hours, overall dimensions 70 x 36 x 76 inches, approximate 3,000 lbs	
180	(5) Sections of 42" x 144" Pallet Racking Pallet Racking tear drop type to include: (6) 42 x 144 inch uprights, (16) 96 x 4 inch cross beams, (24) 42 inch decking	
181	(20) Assorted garbage bins and some lids as shown, some are Rubbermaid	
182	(7) Assorted 44 and 50 gallon garbage bins as shown, Rubbermaid, Cornerstone and Uline	
183	Clover water cooler with cup dispenser, 120v, includes additional cups and water filter	
184	(2) Uline steel tables to include: 24 x 18 x 30 inches and 36 x 24 x 30 inches	
185	Approx (20) plug gage sets assorted sizes	
186	Steel workbench 72 x 30 inches, adjustable legs	
187	Approx (14) plug gage sets assorted sizes	
188	Rolling steel top manufacturing table 46 x 46 x 5/8 inch surface, adjustable height legs, 4 inch locking casters	
189	(4) Sections of 42" x 144" Pallet Racking Pallet Racking tear drop type to include: (5) 42 x 144 inch uprights, (30) 96 x 4 inch cross beams, (36) 42 inch decking	
190	Cosco premium folding 3-step stool	
191	DeWalt 8 inch bench grinder on pedestal, model DW758, 3600/min, 5/8 inch arbor, 120v	
192	Uline 3-step rolling ladder	
193	Steel workbench with upper and lower shelves, 64 x 18 inches, adjustable height legs	
194	Aluminum 3-step ladder	
195	2012 Zeks HeatSink Model 100HSGA100 Cycling Refrigerated Air Dryer, Serial Number 531739. Capacity at 38 Deg F: 100 SCFM, R404A Refrigerant, Drain connect 1/4 inch, Air Cooled, MAWP Max 300 PSIG, 1-HP 120V Motor.	
196	Steel table with lower shelf, 36 x 24 inches, adjustable legs	

197	Steel 2-door cabinet with 6-shelves and key, 36 x 18 x 78 inches	
198	Therma-star high efficiency dehumidifier, model 195, 120v, approximate 19 x 37 x 42-1/2 inches on casters	
199	Metal rolling computer cabinet, 24 x 27 x 48 inches	
200	(1) Sections of 42" x 144" Pallet Racking Pallet Racking tear drop type to include: (2) 42 x 144 inch uprights, (4) 96 x 4 inch cross beams, (4) 42 inch decking	
201	Uline 3-step rolling ladder	
202	2005 Miller Model MaxStar 300 SD Stock No 903836 Serial Number LF298658 Welder. 300A 230V 1-PH & 230/460 3-PH. (see photo to verify voltage)	
203	Cosco 3-step folding step stool	
204	3-step folding step stool	
205	Therma-star high efficiency dehumidifier, model 195, 120v, approximate 19 x 37 x 42-1/2 inches on casters	
206	(14) shelving unit setup with total 98 shelves, each section 36 x 18 x 87 inches	
207	(3) Assorted white erase boards to include: (1) Viz-Pro 70 x 47 inches, flipable sides on wheels and accessories (1) Quartet 48 x 36 inches, (1) Sparco 48 x 36 inches	
208	2-shelf metal rolling cart 30 x 18 inches	
209	Kenmore heavy duty freezer, model no. 253.16542107, approximate inside dimensions 42 x 22 x 28 inches, includes assorted resins if desired. (can no longer be used for food)	
210	Assorted shovels, brooms, dust pans	
211	Clousing pedestal drill press, model 1688, serial 522888, 10 x 14 inch table, adjustable height column, 4 inch quill travel, variable belt speeds: 330 to 4,000 RPM, 3/4HP. 115/230 volt single phase	
212	(2) expandable metal safety fences, expandable to 11 feet, 38 inch height	
213	(2) Sections of 42" x 144" Pallet Racking Pallet Racking tear drop type to include: (3) 42 x 144 inch uprights, (12) 96 x 4 inch cross beams, (12) 42 inch decking	
214	Rubbermaid 2-shelf shop cart, 36 x 24 inches	
215	Uline 2-shelf shop cart, 36 x 24 inches, pneumatic tires (Note top is cracked)	
216	Little Giant heavy duty 3-shelf metal rolling cart 60 x 30 inches, 6" nylon casters	
217	Clover water cooler with cup dispenser, 120v, includes additional cups and water filter	
218	Assorted shelving units to include: 36 x 24 inches and 36 x 11-1/2 inches	
219	1994 Lucifer Model RD8-KHE24 Dual Chamber Furnace, Serial Number 5998. Max temp 2200 Deg F Top and 1200 Def F bottom, Chamber size: 12 x 14 x 24 inches, Honeywell Digital Temp Controllers, Overall Dimensions: 62 x 32 x 36 inches. 12KW, 230/3/60 Electrics.	
220	270 gallon holding tank with wire cage, button drain valve	
221	330 gallon holding tank with wire cage, button drain valve	
222	Roura-Detroit dumping hopper, inside dimensions 36 x 58 x 28 inches, 6 inch casters bolted on bottom	
223	Uline desk with drawers and cabinet, 72 x 30 x 33-1/2 inches	

224	(4) Sections of 42" x 144" Pallet Racking Pallet Racking tear drop type to include: (5) 42 x 144 inch uprights, (28) 96 x 4 inch cross beams, (28) 42 inch decking	
225	(3) Transformer platforms, 32 x 28" top platform, 104 inches from floor, 3-1/2 inch diameter of smallest tube, bolted to floor and beam (please bring tools and help for removal)	
226	(2) metal shelves and contents of assorted bathroom perishables and cleaning supplies to include: Scott paper towels, Gojo hand cleaner, foam soap, gloves, paper towel dispensers, earplugs, and more, shelves 37 x 12 x 87 inches	
227	2-door metal cabinet 36 x 18 x 78 inches with assorted dispensers, gloves and floor cleaners	
228	K.K. Calamar deburring machine, 5 inch wheel capacity, tiltijng table, 4-1/2 x 12 inch table, guides, 120v, includes metal rolling cart	
229	Assorted Paints, cleaners, solvents, lubricants, oils and more as shown	
230	Shelf with contents of assorted painting supplies, adhesives, poles, rollers, brushes, pans, bags and masks	
231	(4) metal shelving units with contents of assorted tubing, automotive, cylinders, hardware, electronics	
232	(6) Sections of 42" x 144" Pallet Racking Pallet Racking tear drop type to include: (7) 42 x 144 inch uprights, (24) 96 x 4 inch cross beams, (24) 42 inch decking	
233	(2) metal shelving units and assorted 12 and 14 gauge wire, CAT 5e wire and more	
234	Baldor 6 inch bench grinder on pedestal, catalog no. 500, 1/2hp, 3600 rpm, 120v	
235	(2) metal shelves with assorted pneumatic cylinders, tools, motors, pistons	
236	(2) metal shelves with assorted hydraulic and pneumatic cylinders, tools, 5C collet tooling, gear reduction and bearings	
237	Metal cabinet with (42) total drawers, includes assorted compression dies	
238	Pneumatic Fluid Pump on cart model BF-2-1 1/2N-1AL-100-CSLBV, 100PSI	
239	Assorted hardware and shelf to include: bolts, washers, nuts, snap rings, hose clamps and more	
240	(4) assorted shelving units to include: (3) 36 x 24 x 63 inches and (1) 48 x 18 x 43 inches, bag of corner guards	
241	Steel 2-door cabinet with 4-shelves, 48 x 24 x 78 inches	
242	(4) Sections of 42" x 196" Pallet Racking Pallet Racking tear drop type to include: (5) 42 x 196 inch uprights, (16) 96 x 4 inch cross beams, (26) 42 inch decking	
243	(3) shelving units and contents to include: (3) shelving units 37 x 12 x 87 inches, (1) 12-drawer bin with assorted bolts and pins, (1) 17-drawer bin with assorted bolts, washers and screws, (1) 24-drawer bin with assorted screw, nuts, bolts, cup screws, (1) 18-drawer bin with assorted lag bolts, anchors, cotter pins, nuts, fittings. Also, Makita 3 inch surface nozzles, vise jaw sets, springs, zurks, water quick fittings and more as shown	
244	Assorted shelving units 36 x 12 x 87 includes contents of steel fittings, electrical switches, hoses, welding items, more as shown	
245	(2) plastic shelves and contents of spring washers, lag screws, bolts, CAT 5 wall jack connectors, Igloo cooler, back support braces, Delta band saw blade no.28-178, 59-1/2 in	
246	Clover water cooler with cup dispenser, 120v, includes additional cups	
247	Haler mini refrigerator, model HSW02C, 1.8 cu ft, 120v	
248	(2) Zebra model S4M Transfer Label Printers	
249	(2) Zebra model S4M Transfer Label Printers	

250	(2) Zebra model S4M Transfer Label Printers	
251	(2) Zebra Label Printers to include: (1) model ZT220 transfer type, (1) model TLP2844 heat transfer type	
252	(6) Sections of 42" x 144" Pallet Racking Pallet Racking tear drop type to include: (7) 42 x 144 inch uprights, (26) 96 x 4 inch cross beams, (26) 42 inch decking	
253	R8 Collets	
254	Assorted computer peripherals to include: (1) HP LaserJet Pro model 400 m401dne, (1) HP LaserJet P2035n, (1) UPS branded heat transfer label type, assorted power strips and networking	
255	R8 Collets	
256	DeWalt 8 inch bench grinder, model DW758, 3600/min, 5/8 inch arbor, attached dust collector, 120v	
257	(2) Wescott Photo basics.net, no. 750 photography lights with adjustable stands.	
258	Assorted handling equipment to include: chain, Eye Bolts, tow straps and ratchet straps	
259	Lincoln Power Wave 455M Advanced Process Welder Currently Wired 440 Volt Code /Serial 11152 U1060603562 New in 2006 Input Power: 208/230/460/575/3/50/60 Process: Stick, TIG, MIG, Pulsed, Flux-Cored, Gouging Output Range: 5-570A DC 0 Rated Output: 400A/36V/100% 450A/38V/100% Max Output: 570 Input Current: 49 /45/23/18A 58/53/25/22A Input Hertz: 50/60 Input Phase: 3 Mode: CC/CV Arclink Connector: Yes Depth Inches: 32.9 Height Inches: 26.1 Width Inches: 19.9 Weight Lb: 25	
260	Assorted Foot Traction shoe grips	
261	Lifetime plastic folding table, 30 x 72 inches	
262	(4) Rubbermaid Mop buckets, (2) Mop handles, (1) Caution sign	
263	(2) Assorted barrel movers	
264	Sears Road Handler tire P225/75 R-15 M+S A/S with 6-bolt rim	
265	(3) Sections of 42" x 144" Pallet Racking Pallet Racking tear drop type to include: (4) 42 x 144 inch uprights, (20) 96 x 4 inch cross beams, (26) 42 inch decking	
266	Michelin tire LT235/75 R-15 104/101R LTX M/S with 6-bolt rim	
267	(2) Justrite 21-gallon oily waste can with self closing lids, model 09700/09710	
268	(4) assorted Unger squeege's 24 and 36 inch, (5) handles	
269	(4) Rubbermaid Mop buckets, (3) Mop handles, (1) Caution sign	
270	Assorted safety barriers	
271	Gaylord of assorted brooms and dustpans	
272	Stainless steel and aluminum parts cleaner with drain, 32 x 31 x 32 inches	
273	(2) Extension ladders to include: (1) Werner 20 foot, fiberglass, 300 lb capacity, (1) Aluminum 18 foot	
274	Graco Fast-flo pneumatic pump, part no. 226-946, series I99B	
275	(2) shelving units, 36 x 12 x 87 inches, 15-shelves total	

276	Parker Guardian Hydraulic fluid pump, model 6T4-10C-6F582, Element 6F584. serial 25NJ, 50PSI, 110-120v	
277	Hydraulic Press head, 19 x 9 inch work window, 1-1/4 inch ram, 4 x 14 inch cylinder, electrical controller	
278	Barrel grease pump, pneumatic operation, 15 inch diameter hood, 26 inch tube	
279	Chicago electric 20 gallon parts washer, stock no. 6500, inside dimensions 28 x 19 x 10 inches, 115v pump	
280	Bosch 12 inch Miter saw model CM12, 4,300RPM, 120V, 15A, swivel and tilting base, unit in 24 x 24 x 30 inch steel box with stand mounted at bottom, V-rollers for cutting tubing.	
281	(2) assorted pneumatic arbor presses	
282	(2) 40 inch steel stand with assorted pneumatic hoses	
283	(2) folding saw horses and (2) jack stands	
284	(2) Rubbermaid shop carts 24 x 36 inches on 5 inch casters	
285	(5) Sections of 42" x 144" Pallet Racking Pallet Racking tear drop type to include: (6) 42 x 144 inch uprights, (32) 96 x 4 inch cross beams, (32) 42 inch decking, (6) 12 inch spacers	
286	(14) 4 inch casters	
287	(24) 4 inch casters	
288	(8) 8 inch nylon casters, 4-swivel with brake and 4-straight	
289	(8) 8 inch nylon casters, 4-swivel with brake and 4-straight	
290	(2) Commander Multi drill, 2-hole, model 400, approximate 2-1/2 inch mounting hole	
291	Assorted Pneumatic items to include: Parker filter, parker valves, heinrich foot pedals, Aro filers, and more	
292	Torch cart with assorted gauges and torch, 9 x 20 inch bottom plate, 10 inch rubber tires	
293	(4) pipe holding stands 40 inch height stands with rollers and adjustable height stands	
294	(2) metal racks, 23 x 37 x 13 inch holding area	
295	(6) Sections of 42" x 144" Pallet Racking Pallet Racking tear drop type to include: (7) 42 x 144 inch uprights, (42) 96 x 4 inch cross beams, (42) 42 inch decking	
296	(3) assorted safety mirrors, 18 inch convex and 18 inch half dome	
297	Black and Decker Workmate 225 portable project center and vise	
298	Brinkman 4-burner grill with side burner, 17 x 27 inch cooking grate surface, warming rack, propane tank, on wheels	
299	Pallet jack truck, 5,500 lb capacity, 48 inch forks, 14 inch between forks	
300	Arbor Press, 1-1/2 inch arbor, 6 inch throat, 12 inch work height	
301	JD Squared Pipe Bender, Model 3, assorted bending dies, 41 inch height	
302	(4) assorted work holding fixtures with de-sta-co clamps	

303	Assorted epoxy and caulking guns as shown	
304	34 inch pedestal for grinder or vise, 9-3/4 x 10 inch top plate	
305	Die Filer	
306	Large lot of ceiling drop wiring, some with outlets	
307	(4) Assorted used vacuum pumps as shown (unknown condition)	
308	(3) Assorted machine parts to include: (1) Baldor motor, cat no. VM3561, 5/8 inch shaft, 1740 rpm, 3 hp, 208-230/460 volt, 3-phase (1) Chip Blaster Pump, model no. 2118, 7/8 inch shaft (1) Isel-automation drive controller, article no. 2344.13500A	
309	Galvanized exhaust hood, 36 x 36 inches, output 5 inch diameter	
310	5- drawer tool cabinet 24 x 13 x 30 inches on casters, includes assorted drill bits, taps and end mills	
311	Parts assembly unit with Dayton gear motor and Boston gear motor, steel fixture plate, Heinrich pneumatic vise, foot pedal	
312	Wilton Challenger 8 inch dual grinder on pedestal, model no. 161, 3/4hp, 3450rpm, 115v, assorted guards, sanding and buffing disks, tools and more	
313	Assorted power tools to include: Performax 7-1/4 inch circular saw, craftsman random orbital sander, Milwaukee Magnum hole shooter, Iron-ton hot knife, Weller soldering gun, Black and Decker 3/8 inch drill	
314	Assorted pneumatic tools to include: Campbell Hausfeld 1/2 inch impact, central pneumatic drill, drill, Jet palm sander, assorted air blowers	
315	1/2 ton chain hoist and trolley	
316	Husky 2-drawer tool box with lid	
317	Kennedy 7-drawer tool box with lid and front cover	
318	Assorted Balancers and mounts to include: Hubbell 3-7 lb, Endo 15-22 lb, (2) Aero-motive 4-10 lb, Thor 10 lb	
319	Assorted Sockets and Wrenches to include: Williams TM-750 3/4 inch torque multiplier, 1/2 inch breaker bar and extension, assorted sockets up to 15/16 inch	
320	Assorted hand tools to include: Cutters, pliers, screwdrivers, files, punches, hone tools, drum de-header, pipe cutter, snap ring pliers and more	
321	Large lot of assorted hex and torx wrenches	
322	Assorted combination wrenches and tool holder wrenches	
323	Assorted Taps, dies and handles	
324	Proto 6 ton puller set, partial set as shown	
325	(2) Bolt cutters, 14 and 30 inch	
326	(3) C-clamps to include: (1) Hargrave 5 inch, (1) Wilton 8 inch and (1) Pro-grade 8 inch	
327	Assorted Hammers, crow bars, magnet pickup tool and sludge hammer	
328	Angle plate 8 x 10 x 12 inches	
329	(2) 4 inch vice swivel bases	

330	Arbor press, 3/4 inch arbor, 3-1/2 inch throat	
331	Phase II Arbor Press stock no. 260-101, missing arbor	
332	Assorted Linear items to include: (2) CKD no. SRL2-LB-25B1099, 48 inch linear actuators, (1) 24" linear, (2) PHD inc magnetic piston actuators, no. SED14X10X2 and assorted sensors and cables	
333	Assorted Pumps to include: Mityvac pneumatic fluid evacuators, Superior 1/4 HP submersible utility pump, Little giant 1 series submersible pumps, Speck Pumpen 230v pump	
334	Assorted tools to include: (1) Bearing heater, Cone Mounter Co. up to 6 inch diameter, 725 watts, 120 volts, (1) Demagnetizer and Assorted bearings	
335	Lot of Electrical and electronic items to include: Oriental Motor with gear head and controller, EPS regulated power supply, Bodine Gear motor no. NSE-11R, 3/4 hp universal control, Direct Logic 06 controller, terminal block, crimper and more	
336	Assorted tools to include: Thread roller gauge, KM Precision Shooting Products arbor press, parallels and 1-2-3 block	
337	Assorted Band Saw Blades and Cutters as shown	
338	(5) Uline racking units 24 x 96 x 120 with 5-shelves each with open decking	
339	(4) Gaylords of assorted parts bins as shown	
340	(2) Uline poly carts, 24-1/2 x 35-1/2 main area, 5 x 22 inch tray	
341	Heavy Duty Steel cart on 5 inch casters, 40 x 42 x 33-1/2 inches	
342	(2) assorted metal carts, approximate 23 x 45 inches	
343	Assorted waste containers to include: (7) 32 gallon and assorted office type waste bins	
344	(6) Assorted garbage bins, Rubbermaid and others, up to 55 gallon, (2) with removable rolling bases	
345	Contents of office as shown to include, L-shaped office desk 30 x 60 inches main desk, 20 x 42 extension, Motorola radios, steel toe guards, gloves, zip strips, 2-drawer cabinet, office supplies, 4-drawer filing cabinet and more	
346	(16) shelving unit setup with total 112 shelves, each section 36 x 18 x 87 inches	
347	(8) Assorted Northern Tool Adjustable top stools, some with back rests	
348	(12) shelving unit setup with total 84 shelves, each section 36 x 18 x 85 inches	
349	(6) Assorted Stools and chairs	
350	(4) shelving unit setup with total 32 shelves, each section 36 x 18 x 85 inches	
351	8-1/2 inch 4-jaw chuck	
352	Taft Pierce 6 x 18 inch magnetic chuck, model 9619-2000	
353	Eagle Rock 5C collet holder and assorted collets	
354	5C Collet Indexer	
355	5C collet closure	
356	Phase II 5C collet closure stock no. 225-205 and 5C collet holder	

357	(2) Phase II 5C collet closures stock no. 225-205	
358	Assorted tool holder as shown, CAT40, straight shanks	
359	(3) Assorted Boring heads, Criterion and Enco with assorted boring bars	
360	Over (25) assorted removable insert boring bars up to 1 inch shank	
361	(25) removable insert and standard cutters up to 1 inch shank	
362	(20) removable insert and standard cutters up to 1 inch shank	
363	(6) Assorted removable insert type cutters	
364	Assorted Coolant through drills and arbors as shown	
365	Assorted quick change tool holders and cutting tools	
366	Kitagawa 8 inch hydraulic 3-jaw chuck model no. B-208	
367	Assorted Collet noses, and mounting plates	
368	Pallet of assorted CNC tooling as shown	
369	Newall 2-axis DRO, model no. DP7, RS232 port	
370	Kitagawa AutoDex RI016 indexing unit with MacMini controller, 7-1/2 inch 3-jaw chuck	
371	(2) Rubbermaid shop carts 24 x 35 inches on 5 inch casters	
372	(2) Uline shop carts 24 x 35 inches on 5 inch casters	
373	(2) Rubbermaid shop carts 24 x 35 inches on 5 inch casters	
374	(3) Rubbermaid shop carts 24 x 35 inches on 5 inch casters	
375	(2) Uline shop carts on 5 inch casters, (1) 24 x 35 inches with 5 x 22 inch tray and (1) 16 x 30 inches with 5 x 14 inch tray	
376	Assorted used 1972 F-100 truck parts as shown	
377	Assembly unit to include: 20 x 40 x 34-1/2 inch steel bench, Numatics actuator, Enerpac cylinders, and more as shown	
378	(4) 15 inch, 5-bolt Rims with assorted tire brands	
379	(6) Uline Heavy Duty Nestable Pallets 40 x 48 inches	
380	Little Mule Pallet jack, 5,500 lb capacity, (note wheels are crumbling)	
381	Custom built shock assembly machine, Hydraulic operation, hydraulic tank approximate 40 x 16-1/2 x 12 inches, 120v	
382	Adjustable steel stand, Approximates: 62 inch height, (2) posts and (1) 6 x 11 inch shelf	
383	Assorted stock to include: Aluminum up to 3 inch diameter. copper 1-1/2 x 20 inch, stainless steel up to 1-1/2 inch diameter, Steel up to 1 inch diameter includes 28 x 44 inch steel rack	

384	Did you enjoy this auction? If so, we hope you come back often. If you would like to be notified about our upcoming sales, Click this link and sign up for our email newsletter. Do you have items you need to sell? If you do, or would just like to have a private, confidential consultation about a business or industrial assets contact us using the links below. Call (612)564-3726 (office) Call or Text Russ (612-940-8945) Email: russ@framfram.com Message us on Facebook	
385	Click here to go to the office equipment being sold as part of this liquidation. It's clean. Checkout at the same time. Click here now!	