

# GLOBAL WEBCAST AUCTION

## CNC MACHINING, TURNING AND GRINDING FACILITY

FEATURING: Mori Seiki ZL-25 & ZL-250 CNC Turning Centers, Mori Seiki SH-400 CNC Horizontal Machining Centers, Micron CNC Grinders, Alfing CNC Machining Cells, Fanuc M-20iB and M-16iB Servo Robots, Hey #3 Center and Facing Machines, Proceco Wash Lines, Tool Room Equipment, Sullair Air Compressors & Dryers, Inspection Equipment and Much More...

**Online Only Webcast | No On-Site Bidding**



**5 Available**

MORI SEIKI Turning Center



**4 Available**

MORI SEIKI SH-400 4-Axis Horizontal Machining Center



AS LATE AS  
**2006**

**6 Available**

ALFING Dual Spindle CNC Boring Cell

*Assets Surplus to Ongoing Operations of:*

**metaldyne**

**THURSDAY, MAY 13<sup>TH</sup>**  
**@ 11:00AM ET**

**PREVIEW & INSPECTION:**

Wednesday, May 12th,  
from 9:00am to 4:00pm or By Appointment

**PREVIEW LOCATION:**

307 South Tillotson Street, Fremont, IN 46737

**COVID protocols will require health declaration, mask wearing and social distancing as condition of entry.**

**FOR FURTHER INFORMATION CONTACT:** Ken Planet at 248.238.7988 or email [KPlanet@maynards.com](mailto:KPlanet@maynards.com)

**Maynards**  
SINCE 1902

AUCTIONS | LIQUIDATIONS | APPRAISALS

21700 Northwestern Hwy., Suite 1180  
Southfield, MI 48075

**248.569.9781 | [www.maynards.com](http://www.maynards.com)**

**Place your bid now!**  
REGISTER AT

**BidSpotter.com**



## CNC TURNING CENTERS

- **Mori Seiki ZL-25 Turning Center**, 10-Position Upper Tool, 8-Position Lower Tool Turret, MF-D6 CNC Control, AirFlow Mist Collector, Chip Collector, S/N ZL-25B/50-494
- **(3) Mori Seiki ZL-250 Turning Center**, 10-Position Upper Tool, 8-Position Lower Tool Turret, MSC-501 CNC Control, AirFlow Mist Collector, Chip Collector, S/N ZL250-194, ZL250-252, ZL250-231 & ZL250-235
- **(2) 1996 Mori Seiki ZL-25A Turning Center**, 10-Position Upper Tool, 8-Position Lower Tool Turret, Fanuc 16-T Controller, AirFlow Mist Collector, Chip Collector, S/N ZL-25A/500-844 & ZL-25A-918



**5 Available**

MORI SEIKI Turning Center

## DUAL SPINDLE CNC BORING CELLS

- **(6) 2004 & 2006 Alfing Dual Spindle CNC Boring Cells**, (10) Axis, GE Fanuc Series 160i-MB CNC Control, Dual Pallets - 500 mm x 630 mm, Max Spindle Speeds 18,000 RPM (Max Permanent Speed 14,000 RPM), Tool Data: Shank - HSK-A63, Max Dia 90 mm, Max Length 300 mm, Fixture: Max Height 830 mm, Max Tool Seats (2 x 20), Working Areas: X - 880 mm / Y - 630 mm / Z - 500 mm / B1 - 360 Degree, Deltatherm Chiller, Knoll Type AE 1110 Filtration Unit with Siemens Simatic HMI, Air Filtration Unit



**AS LATE AS  
2006**

**6 Available**

ALFING Dual Spindle CNC Boring Cell

## CNC HORIZONTAL MACHINING CENTERS

- **(4) 1998 Mori Seiki SH-400 4-Axis Horizontal Machining Centers**, MSC-510 CNC Control, Max Spindle Speed 12,000 RPM, 40 Position ATC - 40 Taper, Dual Pallet 15.7" x 15.7", Travels: X - 22" / Y - 20.1" / Z - 20.1", Chip Blaster VEGA 2000 High Pressure Coolant Unit, Donaldson Torit Mist Collector, Chip Collector, Vektor Flo Workholding Pump, S/N 587, 593, 602 & 604



**4 Available**

MORI SEIKI SH-400 4-Axis Horizontal Machining Center

## CNC CENTERLESS GRINDERS

- **(2) 2004 Micron MPC-600III RDT CNC-RCNC Centerless Grinders**, Grinding Wheel Dia 610 mm, Regulating Wheel Dia 330 mm, Marposs E3 Gauge, SBS Systems SB-4500 Balancer, Fanuc Series 18i-TB CNC Control, Coolant Filtration System, S/N 5340 (0825-006) & 5341 (0825-007)



**2004**

**2 Available**

MICRON MPC-600III RDT CNC-RCNC Centerless Grinder



KNOLL Type AE 1110 Filtration Unit



## SERVO ROBOTS

- (2) **Fanuc M-16iB20 Robots**, w/(1) Fanuc System R-30iA Robot Controller F-90005, (1) Pendant, S/N F9004 & F90005
- (3) **Fanuc M-16iB-20 Robot**, w/(1) Fanuc System R-J3iB Robot Controller, (1) Pendant, S/N F63950, F58741 & F-78002
- **Fanuc M-6i Robot**, w/(1) Fanuc System R-J3 Robot Controller F-78002, (1) Pendant, S/N F47934
- **2016 Fanuc M-20iB-25 Robot**, w/(1) Fanuc System R-30iB Robot Controller F-181299, (1) Pendant, S/N F181299



View of **FANUC** Robots

## PRODUCTION EQUIPMENT

- (2) **Hey Machining Tools Centering & Facing Machines**, Hey Machine, S/N 2824-698 & 2824-823
- **2004 Supfina TP90 Finishing Machine**, 900PSI - Main Pressure, 500PSI - Max. Slide Cylinder, 260PSI - Tape Heads 2, 3, 4, 150PSI - Tape Heads 1, 5, w/(1) Allen Bradley PanelView 600, Conveyor, S/N 500.487
- (2) **Balance Shaft Assembly Machines**, w/Allen Bradley PanelView Plus 1000, HDL304 Allen Bradley E-Drive
- (2) **Balance Technology Inc. H-5 Lathe Cell Balancers**, S/N 11296 & 11498
- (2) **Spectrum Automation Company VDL-24 Parts Feeder**, 1750RPM, 0.43 Max. HP In, 576 (Lb-In.) Max Torque Out



**HEY MACHINING** Tools Centering & Facing Machine



View of Polisher



**MIGHTY TURN** ML-1860-GL Engine Lathe



**BRIDGEPORT** Vertical Mill

## TOOL ROOM EQUIPMENT

- **1995 Mighty Turn ML-1860-GL Engine Lathe**, 400-1000 RPM, 21" Stroke, 10" Over Cross Slide, 60" Between Centers, (1) 10" 3-Jaw Chuck, 3" Hole thru Spindle, w/SWI Trak Digital Readout, 220/440V, 7.5KW, 3PH, 5396 Lb., S/N 59020243
- **Bridgeport Vertical Milling Machine**, 500-4200 Speed, 13.5" Throat, 10" Stroke, 42" T-Slotted Table, w/Model AL-325L Mitutoyo Linear Scale Counter Digital Readout, S/N 173117

Place your bid now! 



# INSPECTION

- **Mahr MarShaft Man 800 Shaft Measuring Machine**, with MarCheck II Digital Readout
- **Sheffield Endeavor Coordinate Measuring Machine**, 36" X-Axis, 48" Y-Axis, 28" Z-Axis, Calypso 5.4.20 Software, w/Renishaw PH10M Probe, S/N R-0113-0401
- **Opticom 0Q30S Contour Projector 32" x 8" T-Slotted Table**, 115V, 30A, 3600 Max Watts, S/N 3004065
- **Deltronic DH214-MP95 Optical Comparator 15" x 5" T-Slotted Table**, 120V, 2A, w/Deltronic MPC-5 Digital Readout
- **Helio Helio Pan II 800 Shaft Measuring Machine**, with MarCheck II Digital Readout
- **New Age Industries Identitron Hardness Tester**, Detroit Testing Machine DH2 Hardness Tester, S/N 13015
- **Precision Devices Indi-Ron 100H Radial Measuring System**, 200 Lb. Cap., 21" Part Swing, 24" Gage Reach, w/20" x 27" x 4" Granite Surface Plate, S/N 1009
- **Micrometer Sets, V-Blocks, Height Gauges, Angle Plates, Pin Gauge Sets, Luma 130 Etching Tool, Magnaflux, Plug Gauges, Precision Gauges, Borescope, Flir Camera, Optim FS-101 Fiberscope, Force Gauges, Baitto Probes, Balance Master, Gage Tester, Olympus Borescope, Industrial Scientific M40 Multi-Gas Monitor, (2) General DCS1600ART Articulating Datalogging Video Borescoping Systems, Ohaus Dec-O-Gram Balance 2610g**
- **Omega DWT-1305 Portable Dead Weight Tester, Helios Diameter Measurement Module, Mecmesin Advanced Force and Torque Indicator**
- **(6) Starrett & Astral Granite Surface Plates**
- **Detroit Precision Homme Bore Gage Station**, w/(1) Albion Devices Gage Comp Multi-Channel Temp. Compensating Measurement System (1) Allen Bradley PanelView 550
- **Gaging Station**, (1) Beckoff Monitor (1) 6' x 30" x 7' Detroit Hommel Precision Work Station, w/Misc. Gages
- **Ametek vLRalert 2 Thermal Imaging Camera System**, 70 x 55cm Field View, S/N 250500 02



**MAHR** MarShaft Man 800 Shaft Measuring Machine



**SHEFFIELD** Endeavor Coordinate Measuring Machine



**IDENTITRON** Hardness Tester

## PARTS WASHERS AND CONVEYOR SYSTEMS

- **Proceco ICW-18-8W-4R-B0-VD Industrial Parts Washer**, 35" x 15", 460V, 3PH, 131A, 80-120PSI, 1500 Lb., S/N 04-509
- **(2) Proceco ICW-18-8DW-80 Industrial Parts Washer**, 18" x 9.5", 460V, 3PH, 182A, 80-120PSI, 600 Lb., S/N 05-507 & 04-508
- **AMC Automated Modular Conveyor Systems**, Approximately 130', w/(26) 30.5" x 15" Pallets



**3 Available**

**PROCECO** Industrial Parts Washer

## AIR COMPRESSORS & DRYERS

- **Sullair LS25S-250L/A 250 HP Air Compressor**
- **(2) 1994 & 1990 Sullair LS-20-100L-ACAC Air Compressors**, 100/110 Rated Max. Air Pressure, S/N 003-82031 & 003-101174
- **1997 Sullair LS-25-200L-ACAC Air Compressor**, 100/110 Rated Max. Air Pressure, 14,649 Hours, S/N 003-112835
- **2006 Sullair SR-3000 Air Dryer**, 174 Max. Air Pressure, 60° C/140° F Max Air Input, 5° C/41° F Min. Ambient Temp, 50° C/122° F Max. Ambient Temp. 460V, 3PH, 60HZ, S/N 3115270001
- **Air Tank**, 200PSI
- **2004 Gardner Denver Compressor**, 370 Rated Max. Input RPM, 370 Rated Max Pump RPM, 9415 Discharge Max. PSI of Fluid Cyl., S/N 9800
- **2004 Gardner Denver 200TDE001 Compressor**, 370 Rated Max. Input RPM, 370 Rated Max Pump RPM, 9415 Discharge Max. PSI of Fluid Cyl.
- **Thermal Care LQ2A1404 Chiller 14 HP Compressor**, 1.5 HP Process Pump, (2) 0.75 HP Condenser Fans, 30° F Min. Temp, 65° F Max. Temp, 460V, 3PH, 60Hz, S/N 3675010409
- **Dayton 6DHH9A Transfer Pump**, 1/3 HP



**4 Available**

**SULLAIR** Air Compressor



**2006 SULLAIR** SR-3000 Air Dryer

**FOR FURTHER INFORMATION CONTACT:** Ken Planet at 248.238.7988 or email [KPlanet@maynards.com](mailto:KPlanet@maynards.com)



## PLANT SUPPORT EQUIPMENT

- Qty. of CAT 50 / CAT 40 Tool Holders, Tapomatic RD50 Tap Heads, Carbide Inserts, ER Systems - ER32 Collet Set
- Kennedy Rolling Tool Box, w/Contents of Misc. Hand Tools, Kurt 6" Machine Vises, Angle Grinder, Air Wrenches (1) G950 Black & Decker Angle Grinder, CP Air Wrenches, Black & Decker, Milwaukee, Tap & Die Sets, Hand Tools, Hydraulic Jacks, Torque Wrenches, Heat Guns, Hand Riveters, Minuteman Broach Set, Banding Carts, Enerpac Hydraulic Pumps, DeWalt & Makita Saws, Vises, Parts Washers & Graymills Ultrasonic Cleaner, Vacuum Pumps, Troyke Rotary Table, w/10" 3-Jaw Chuck, 9" Chuck, 8.5" 3-Jaw Chuck, (6) Kennedy & Stanley Vidmar Rolling Toolbox, 23.5" x 23.5" x 36", Qty. of Wood Top & Steel Work Benches, Portable Staircases, Ladders, Qty. of Equipo, Stanley & Vidmar / Edsol Heavy Duty Cabinet, 28" x 28" x 61.5", Contents of Clamps, Gages & Spare Parts, Briggs & Stratton Pressure Washer
- RobinAir 25200B Refrigerant Recovery System, 115V, CarQuest CBC2100 6/12V Battery Charger 10A
- Baldor & Metabo Grinder Buffers, Brierley ZB25 Drill Grinder, Greenlee 854 Electric Bender for 1/2" Thru 2", Ridgid 600 Hand Threader
- Lincoln Electric Ranger 8 Welder & Lincoln Electric Idealarc 250 Arc Welder
- Craftsman 93420111 Wire Feed Mig Welder, 120V, 20AAC, 60Hz
- (7) Jamco, Securall, Justrite and Condor Flammable Cabinets
- Vestil, Jet & Dayton Pallet Trucks
- Marathon V-6030 Vertical Baler, Chamber Size 30" x 60", S/N 63527
- 2016 Saw 70 Shrink Wrapper, 4000 Lb. Cap., 115V, 1PH, S/N S1354538
- Weight Plate 60" x 60" Floor Scale, Mettler Toledo #BBA 442 60SD Read Out, World Weight BWS Scale 100 Lb. Cap.
- Square D I-Line Busway, Unit 400A, 600V, Square D I-Line Busway Unit 200A, 600V, Electrical Boxes (2) Allen Bradley 30A, 600V Square D 60A, 600V Square D 100W, 240V, Siemens 100A, 600V, Eaton 30A, 600V, Acme Transformer
- Scissor Lift Tables, 42" x 44", 4000 Lb. Cap.
- (11) 1000 Lb. Crane, 90' Span, w/Demac Electric Hoist and 2-Button Pendant
- 8-Ton Long Ram Jack
- Rolling Plastic Tote Bins 41" x 34" x 13", Metal Tote Bins 42" x 31" x 17", Plastic Tote Bins 45" x 48" x 35", Metal Crates 52" x 47" x 38", Plastic Tote Bins 30" x 30" x 14", Metal Crates 34" x 42" x 33", Qty. of Poly Totes - 270-Gal. & 330-Gal.
- (47) Self-Dumping Hoppers, 1/3 Yd., 1/2 Yd. & 3/4 Yd. Capacity
- Waste Coolant Tank, 2000 Gal., Sump Cleaner
- Qty. of Die Racks, 4' x 57" x 6' & (12) Shop Vacs
- Craftsman 536.886621 Snow Blower, 12" Impeller



Banding Cart



VIDMAR Cabinet



GREENLEE Bender



LINCOLN Electric Ranger 8 Welder



Flammable Cabinets

7 Available



MARATHON Vertical Baler

## OFFICE EQUIPMENT

- PRINTERS to include: (1) Printronix Thermaline 5000 (2) Printronix T5000E (1) Panduit TDP43ME, Intermec PM4i / PD41 & PX4i Printers, Rotocube Bulletin Tower 78" x 17", (11) 40", 55" & 65" Flat Screen Monitors, Drafting Table, HP & Lanier Printers, Breakroom & Office Furniture
- AMPLIFICATION PRESENTATION SYSTEM to include: (1) 55" Samsung Flat Screen Monitor, (2) Shure PG58 Wireless Microphones, (2) Behringer PA Speakers, (1) Epson ELPDC21 Document Camera, (1) Behringer Mixer
- SIGN-MAKING STATION to include: (1) Faber CE6000-40 Vinyl Cutter & Plotter, (1) Material Cart, w/Misc. Vinyl Material
- Body Guard Lot of Disposable Face Masks Approximately (5000)
- Vemco Mark XII V-Track Drafting Table
- Frigidaire FRS223W3AQC Refrigerator



Conference Table

## ROLLING STOCK

- Toyota 42-6FGCU30 Fork Truck, 5,100 Lb. Cap., 187" Lift Height, Sideshift, 42" Fork Attachment, 3-Mast, 22,220 Hours
- Nobles Speed Scrub 1701Plus Floor Scrubber, 17" Scrubbing Path Dia., w/Lester Electrical 24V Dual Mode Automatic Battery Charger
- Nobles Speed Scrub 1701Plus Floor Scrubber, 17" Scrubbing Path Dia., w/Lester Electrical 24V Dual Mode Automatic Battery Charger
- (2) Uline H-1545 Trailer Jack, 100,000 Lb. Static Cap., 40,000 Lb. Lifting Cap.
- 2007 Taylor-Dunn E0-034-53 Electric Cart, 200 Lb. - 890N Normal Draw Bar Pull, 2000 Lb. 8900N Ultimate Draw Bar Pull, 1260 Lb. Approx Weight, w/LTD 24V Battery Charger (2) A&G Mercury 41" x 77" Die Carts, S/N 172142
- 2000 JLG E300AJ Lift, 30' Max Platform Height, 20" Horizontal Reach, 500 Lb. Unrestricted Rated Cap., 500 Lb. Max Cap., S/N 110656 0300047907
- 60" Fork Extenders & Forklift Forks
- 4000 Lb. Boom Attach., w/1-Ton Harrington Hoist
- Vestil Drum Handling Attach., Snow Plow Attach.



TOYOTA 42-6FGCU30 Fork Truck



JLG E300AJ Lift

# GLOBAL WEBCAST AUCTION

## CNC MACHINING, TURNING AND GRINDING FACILITY

Online Only Webcast | No On-Site Bidding

Assets Surplus to Ongoing Operations of:

# metaldyne

**THURSDAY, MAY 13<sup>TH</sup>**  
**@ 11:00AM ET**

**PREVIEW & INSPECTION:**

Wednesday, May 12th,  
from 9:00am to 4:00pm  
or By Appointment

**PREVIEW LOCATION:**

307 South Tillotson Street  
Fremont, IN

## Maynards

SINCE 1902

21700 Northwestern Hwy.  
Suite 1180  
Southfield, MI 48075



5 Available

MORI SEIKI Turning Center



AS LATE AS  
2006

6 Available

ALFING Dual Spindle CNC Boring Cell



4 Available

MORI SEIKI SH-400 4-Axis HMC

**TERMS & CONDITIONS | PAYMENT:** Full payment within 24 hours. Payment is Cash, Cashier's check, Certified Check, or Wire Transfer. No other forms of payments will be accepted. Full Payment Must be Made before removal of Purchase. Everything is Sold "As-Is, Where-Is" All Sales Final. Cost and Responsibility for Removal of Purchase Remains with the Purchaser. Every Effort will be Made to Facilitate Removal. While Quantities and Descriptions are Believed to be Accurate, the Auctioneer, Owners or Counsel Make no Warranties or Guarantees Either Expressed or Implied as to Authenticity, Genuineness of, or Defects in Any Lot and will not be Held Responsible for any Advertising Discrepancies or Inaccuracies. No Warranties Whatsoever are Made as to Condition Merchantability or Fitness for Use of Any Item. May we Suggest you Take Full Advantage of the Preview and Inspection Period. **Sale Subject to Additions, Deletions and Prior Sales. Please Check Availability of Equipment.**

**AN ONLINE BUYER'S PREMIUM OF 18% WILL BE CHARGED ON ALL SUCCESSFUL BIDS.**

**LAST DAY OF REMOVAL: TBD**

### UPCOMING AUCTION CALENDAR



**WEBCAST AUCTION – SYSTRAND - CNC MACHINING FACILITY, CNC VMC's & HMC's, LATHES, SHAPERS & MORE**  
Thursday, May 20th at 11:00am ET • 19050 Allen Road, Brownstown, MI 48183



**WEBCAST AUCTION – AVARA - QUALITY MODERN PHARMACEUTICAL PROCESSING EQUIPMENT**  
Friday, May 28th at 12:00am GMT • Avlon Works Hallen, Bristol, BS10 7ZE United Kingdom



**WEBCAST AUCTION – VEOLIA - COMBINED HEAT & POWER SYSTEM, CUMMINS 2,681KW CHP POWER PLANT**  
Friday, May 28th at 12:00am GMT • Avonmouth Avonmouth, Bristol, BS10 United Kingdom

# Maynards

SINCE 1902

AUCTIONS | LIQUIDATIONS | APPRAISALS

21700 Northwestern Hwy., Suite 1180  
Southfield, MI 48075

**248.569.9781 | www.maynards.com**

Place your bid now!  
REGISTER AT

**BidSpotter.com**