

FOR IMMEDIATE SALE

HONDA CVT Line

AVAILABLE IN BULK OR BY INDIVIDUAL PIECES

PARTIAL CONTINUOUSLY VARIABLE TRANSMISSION LINE

TO INCLUDE: (12) 2015 Studer S41 CNC Universal Cylindrical Grinders, 2014 DMG Mori NZX-2500/600L CNC Lathe, (4) 2014 DMG Mori CL-2000B CNC Lathes, (2) 2014 Fanuc R-2000iB Robots, (10) Accretech Automatic Measuring Machines, (3) Donaldson Torit Mist Collectors, (2) Morigo Seiki Rotary Parts Washers, (2) Honda Lapping Machines and Gantry Loading System



Views of Partial Continuously Variable Transmission Line

PREVIEW & INSPECTION: By Appointment Only
PREVIEW LOCATION: 12500 Meranda Road, Anna, OH 45302

FOR FURTHER INFORMATION CONTACT: Mauro Damino at 248.207.4203, Mauro@tramarindustries.com or Matt Gossett at 248.228.5880, MGossett@maynards.com

COVID protocols will require health declaration, mask wearing and social distancing as condition of entry.

SALE CONDUCTED BY:

Maynards
SINCE 1902

AUCTIONS | LIQUIDATIONS | APPRAISALS

21700 Northwestern Hwy., Suite 1180
Southfield, MI 48075
248.569.9781 | maynards.com

SALE IN CONJUNCTION WITH:



FOR IMMEDIATE SALE

HONDA CVT Line

AVAILABLE IN BULK OR BY INDIVIDUAL PIECES

2015



12 Available

View of **STUDER S41 CNC Universal Cylindrical Grinders**

GRINDERS

- **2015 Studer S41 CNC Universal Cylindrical Grinder**, (1) OD Spindle, (4,500 RPM), (1) ID Spindle (4,200 RPM), Rotary Dresser, Gauging, Synchronous Style Tail Stock with W-Axis, 40" Between Centers, 21.6" Max Work Piece Diameter, C-Axis, B-Axis, Transor Coolant Chiller/Separator, Sensitron Unit, 400V, S/N 1009-0218
- **2015 Studer S41 CNC Universal Cylindrical Grinder**, (2) OD Spindle (4,500 RPM), (1) ID Spindle (42,000 RPM) with Gauging, Rotary Dresser, Gauging, Synchronous Style Tail Stock with W-Axis, 40" Between Centers, 21.6" Max Work Piece Diameter, C-Axis, B-Axis, Transor Coolant Chiller/Separator, Sensitron Unit, 400V, S/N 1009-0219
- **2015 Studer S41 CNC Universal Cylindrical Grinder**, (2) OD Spindle (4,500 RPM), (1) Vertical Grooving Spindle (42,000 RPM) with Y-Axis, Rotary Dresser, Gauging, Hydraulic Tail Stock, 40" Between Centers, 21.6" Max Work Piece Diameter, C-Axis, B-Axis, Transor Coolant Chiller/Separator, Sensitron Unit, 400V, S/N 1009-0220
- **2015 Studer S41 CNC Universal Cylindrical Grinder**, (2) OD Spindle (4,500 RPM), (1) Vertical Grooving Spindle (42,000 RPM) with Y-Axis, Rotary Dresser, Gauging, Hydraulic Tail Stock, 40" Between Centers, 21.6" Max Work Piece Diameter, C-Axis, B-Axis, Transor Coolant Chiller/Separator, Sensitron Unit, 400V, S/N 1009-0221
- **2015 Studer S41 CNC Universal Cylindrical Grinder**, (2) OD Spindle (4,500 RPM), (1) Vertical Grooving Spindle (42,000 RPM) with Y-Axis, OD Spindle-15,749 SFPM, Rotary Dresser, Gauging, Hydraulic Tail Stock, 40" Between Centers, 21.6" Max Work Piece Diameter, C-Axis, B-Axis, Transor Coolant Chiller/Separator, Sensitron Unit, 400V, S/N 1009-0222
- **2015 Studer S41 CNC Universal Cylindrical Grinder**, (2) OD Spindle (4,500 RPM), (1) Vertical Grooving Spindle (42,000 RPM) with Y-Axis, Rotary Dresser, Gauging, Hydraulic Tail Stock, 40" Between Centers, 21.6" Max Work Piece Diameter, C-Axis, B-Axis, Transor Coolant Chiller/Separator, Sensitron Unit, 400V, S/N 1009-0223
- **2015 Studer S41 CNC Universal Cylindrical Grinder**, (2) ID Spindles, Both spindles (42,000 RPM), Rotary Dresser, Gauging, No Tail Stock, 40" Between Centers, 21.6" Max Work Piece Diameter, C-Axis, B-Axis, Transor Coolant Chiller/Separator, Sensitron Unit, 400V, S/N 1009-0213
- **2015 Studer S41 CNC Universal Cylindrical Grinder**, (2) ID Spindles, Both spindles (42,000 RPM), Rotary Dresser, Gauging, No Tail Stock, 40" Between Centers, 21.6" Max Work Piece Diameter, C-Axis, B-Axis, Transor Coolant Chiller/Separator, Sensitron Unit, 400V, S/N 1009-0212
- **2015 Studer S41 CNC Universal Cylindrical Grinder**, (1) OD Spindle (4,500 RPM), (1) ID Spindle (42,000 RPM), (1) Grooving Spindle (42,000 RPM), OD Spindle-15,749 SFPM, Rotary Dresser, Gauging, Lateral Locator, No Tail Stock, 40" Between Centers, 21.6" Max Work Piece Diameter, C-Axis, B-Axis, Transor Coolant Chiller/Separator, Sensitron Unit, 400V, S/N 1009-0216
- **2015 Studer S41 CNC Universal Cylindrical Grinder**, (1) OD Spindle (4,500 RPM), (1) ID Spindle (42,000 RPM), (1) Grooving Spindle (42,000 RPM), OD Spindle-15,749 SFPM, Rotary Dresser, Gauging, Lateral Locator, No Tail Stock, 40" Between Centers, 21.6" Max Work Piece Diameter, C-Axis, B-Axis, Transor Coolant Chiller/Separator, Sensitron Unit, 400V, S/N 1009-0217
- **2015 Studer S41 CNC Universal Cylindrical Grinder**, (1) OD Spindle (4,500 RPM), (1) ID Spindle (42,000 RPM), (1) Grooving Spindle (42,000 RPM), OD Spindle-15,749 SFPM, Rotary Dresser, Gauging, Lateral Locator, No Tail Stock, 40" Between Centers, 21.6" Max Work Piece Diameter, C-Axis, B-Axis, Transor Coolant Chiller/Separator, Sensitron Unit, 400V, S/N 1009-0214
- **2015 Studer S41 CNC Universal Cylindrical Grinder**, (1) OD Spindle (4,500 RPM), (1) ID Spindle (42,000 RPM), (1) Grooving Spindle (42,000 RPM), OD Spindle-15,749 SFPM, Rotary Dresser, Gauging, Lateral Locator, No Tail Stock, 40" Between Centers, 21.6" Max Work Piece Diameter, C-Axis, B-Axis, Transor Coolant Chiller/Separator, Sensitron Unit, 400V, S/N 1009-0215

FOR IMMEDIATE SALE

HONDA CVT Line

AVAILABLE IN BULK OR BY INDIVIDUAL PIECES

(12) 2015 STUDER S41 CNC UNIVERSAL CYLINDRICAL GRINDERS

2015



STUDER S41 CNC Universal Cylindrical Grinder, S/N 1009-0219

2015



STUDER S41 CNC Universal Cylindrical Grinder, S/N 1009-0221



Inside View of STUDER S41 CNC Universal Cylindrical Grinder



TRANSOR Coolant Chiller/Separator

PREVIEW & INSPECTION: By Appointment Only
PREVIEW LOCATION: 12500 Meranda Road, Anna, OH 45302

FOR FURTHER INFORMATION CONTACT: Mauro Damino at 248.207.4203, Mauro@tramarindustries.com
or Matt Gossett at 248.228.5880, MGossett@maynards.com

www.maynards.com

FOR IMMEDIATE SALE

HONDA CVT Line

AVAILABLE IN BULK OR BY INDIVIDUAL PIECES

CNC LATHES

- **2014 DMG Mori NZX-2500/600L CNC Lathe**, 5-Axis, Turret 1 (12) Station, Turret 2 (8) Station, 23.6" Max Turning Length, X-Axis Turret 1- 8.9", X-Axis Turret 2- 6.7", Z-Axis Turret 1- 25.6", Z-Axis Turret 2- 25.6", 5,000 RPM, 2.9" Hole Through Spindle, Max Diameter Turning Turret 1- 14.5", Max Turning Diameter Turret 2- 10.2", S/N NZX25141102
- **(4) 2014 DMG Mori CL2000B CNC Lathes**, 5-Axis, Turret 1 (12) Station, Turret 2 (8) Station, Z-Axis 14.6" 3,500 RPM, 2.9" Hole Through Spindle, Max Turning Diameter-17.3", Max Turning Length 14.2", S/Ns CL201141001, CL201141002, CL201141003 & CL201141004

2014



DMG MORI NZX-2500/600L CNC Lathe

2014



DMG MORI CL2000B CNC Lathe

4 Available

LINE SUPPORT EQUIPMENT

- (2) 2014 Fanuc R-2000iB Robots, with R-30iB Controllers & Teach Pendants, S/Ns F-153100 and F-153101
- (10) Accretech Measuring Machines, (5) Auto Measuring After Turning Operation, (5) Auto Measuring After Grinding Operation
- (2) 2014 Morigo Seiki MRT 2004 Rotary Parts Washer
- (3) Donaldson Torit Mist Collectors
- (2) Honda Lapping Machines • Gantry Loading System

2014



2 Available

FANUC R-2000iB Robot



10 Available

ACCRETECH Measuring Machine



2 Available

HONDA Lapping Machine

SALE CONDUCTED BY:

Maynards
SINCE 1902

AUCTIONS | LIQUIDATIONS | APPRAISALS

21700 Northwestern Hwy., Suite 1180
Southfield, MI 48075

248.569.9781 | maynards.com

SALE IN CONJUNCTION WITH:

